

iemisc: Comparing Saturated Vapor Pressure Formulas to the Reference

Irucka Embry, E.I.T. (EcoC²S)

2023-02-13

Contents

| | |
|--|---|
| Replicate the R code | 1 |
| Fraction (or Mixed number) to a Decimal (Numeric Vector) | 1 |
| R Sources | 4 |
| EcoC ² S Links | 4 |
| Copyright and License | 5 |

Replicate the R code

Note: If you wish to replicate the R code below, then you will need to copy and paste the following commands in R first (to make sure you have all the packages and their dependencies):

```
install.packages(c("install.load", "iemisc", "units"))
# install the packages and their dependencies

# load the required packages
install.load::load_package("iemisc", "units")
# load needed packages using the load_package function from the install.load
# package (it is assumed that you have already installed these packages)

import::from(fpCompare, "%==%")
```

Fraction (or Mixed number) to a Decimal (Numeric Vector)

```
install.load::load_package("iemisc", "data.table")

# reference vapor pressures
reference <- sort(c(611.655, 2339.32, 7384.94, 19946.4, 47414.5, 101418))
```

```

T <- sort(c(0.01, seq(from = 20, to = 100, by = 20)))

# hydraulics
hydraulics_svp <- hydraulics::svp(T = T, units = "SI")

# iemisc
iemisc_sat_vapor_pressure_huang <- sat_vapor_pressure(T = T, units = "SI", formula = "Huang")

iemisc_sat_vapor_pressure_buck <- sat_vapor_pressure(T = T, units = "SI", formula = "Buck")

iemisc_sat_vapor_pressure_iapws <- sat_vapor_pressure(T = T, units = "SI", formula = "IAPWS")

# aiRthermo

# create a numeric vector with the units of degrees Celsius
T_C <- set_units(T, "degree_C")
T_C

## Units: [°C]
## [1] 1e-02 2e+01 4e+01 6e+01 8e+01 1e+02

# create a numeric vector to convert from degrees Celsius to Kelvin
T_K <- T_C
T_K

## Units: [°C]
## [1] 1e-02 2e+01 4e+01 6e+01 8e+01 1e+02

# create a numeric vector with the units of Kelvin
units(T_K) <- make_units(K)

aiRthermo_saturation_pressure_H2O <- aiRthermo::saturation_pressure_H2O(drop_units(T_K))

# Note: If you want to alter the display of the calculated values, you can
# remove scientific notation using options(scipen = 999) & set the number of
# decimal places with options(digits = 7). Refer to Source 1.

options(scipen = 999)
options(digits = 7)

comparePress <- data.table(Reference_Pressure = reference, Hydraulics_Pressure = hydraulics_svp,
  Huang_Pressure = iemisc_sat_vapor_pressure_huang, Buck_Pressure = iemisc_sat_vapor_pressure_buck,
  IAPWS_Pressure = iemisc_sat_vapor_pressure_iapws, aiRthermo_Pressure = aiRthermo_saturation_pressure_H2O)

comparePress[, `:=`(mreHydraulics = mapply(mre, Hydraulics_Pressure, Reference_Pressure) *
  100, mreHuang = mapply(mre, Huang_Pressure, Reference_Pressure) * 100, mreBuck = mapply(mre,
  Buck_Pressure, Reference_Pressure) * 100, mreIAPWS = mapply(mre, IAPWS_Pressure,
  Reference_Pressure) * 100, mreaiRthermo = mapply(mre, aiRthermo_Pressure, Reference_Pressure) *
  100)] # Source 1

```

```

# which row(s) has the maximum value
max_row <- pmax(comparePress$mreHydraulics, comparePress$mreHuang, comparePress$mreBuck,
  comparePress$mreIAPWS, comparePress$mreairthermo)

# which row(s) has the minimum value
min_row <- pmin(comparePress$mreHydraulics, comparePress$mreHuang, comparePress$mreBuck,
  comparePress$mreIAPWS, comparePress$mreairthermo)

# which rows are TRUE
max_row2 <- comparePress == max_row

# which rows are TRUE
min_row2 <- comparePress == min_row

comparePress[, max_mre := c(rep("mreairthermo", 3), rep("mreBuck", 3))]
comparePress[, min_mre := c("mreBuck", rep("mreHydraulics / mreHuang", 4), "mreIAPWS")]

setnames(comparePress, c("Reference Pressure (Pa)", "Hydraulics Package Pressure (Pa)",
  "Huang Pressure (Pa)", "Buck Pressure (Pa)", "IAPWS Pressure (Pa)", "airthermo Pressure (Pa)",
  "MRE % (Hydraulics Package vs. Reference)", "MRE % (Huang vs. Reference)", "MRE % (Buck vs. Reference)",
  "MRE % (IAPWS vs. Reference)", "MRE % (airthermo vs. Reference)", "Maximum MRE % Formula",
  "Minumum MRE % Formula"))

comparePress

## Reference Pressure (Pa) Hydraulics Package Pressure (Pa) Huang Pressure (Pa)
## 1: 611.655 611.6894 611.6894
## 2: 2339.320 2339.3207 2339.3207
## 3: 7384.940 7384.9328 7384.9328
## 4: 19946.400 19946.1044 19946.1044
## 5: 47414.500 47415.0409 47415.0409
## 6: 101418.000 101416.9949 101416.9949
## Buck Pressure (Pa) IAPWS Pressure (Pa) airthermo Pressure (Pa)
## 1: 611.6541 611.6571 611.4438
## 2: 2338.3400 2339.1937 2335.1919
## 3: 7382.3596 7385.1105 7382.3596
## 4: 19945.1455 19947.3825 19945.1455
## 5: 47410.2673 47415.7843 47410.2673
## 6: 101307.7809 101417.9938 101307.7809
## MRE % (Hydraulics Package vs. Reference) MRE % (Huang vs. Reference)
## 1: 0.00563197037 0.00563197037
## 2: 0.00003204599 0.00003204599
## 3: 0.00009734185 0.00009734185
## 4: 0.00148213892 0.00148213892
## 5: 0.00114082496 0.00114082496
## 6: 0.00099107460 0.00099107460
## MRE % (Buck vs. Reference) MRE % (IAPWS vs. Reference)
## 1: 0.0001454261 0.000338383649
## 2: 0.0418934370 0.005397439309
## 3: 0.0349413144 0.002308409900
## 4: 0.0062894746 0.004925809162
## 5: 0.0089270646 0.002708595989

```

```

## 6:          0.1086780481          0.000006095636
##   MRE % (aiRthermo vs. Reference) Maximum MRE % Formula
## 1:          0.034528683          mreaiRthermo
## 2:          0.176464156          mreaiRthermo
## 3:          0.034941314          mreaiRthermo
## 4:          0.006289475           mreBuck
## 5:          0.008927065           mreBuck
## 6:          0.108678048           mreBuck
##   Minumum MRE % Formula
## 1:          mreBuck
## 2: mreHydraulics / mreHuang
## 3: mreHydraulics / mreHuang
## 4: mreHydraulics / mreHuang
## 5: mreHydraulics / mreHuang
## 6:          mreIAPWS
# Return to your default settings using the following call in R:
default_opts <- callr::r(function() {
  options()
})
options(default_opts)
# Source 2

```

R Sources

Source 1

r - How do I reset all options() arguments to their default values? - Stack Overflow answered by stevec on Jul 27 2020 and edited by stevec on Feb 27 2022. See <https://stackoverflow.com/questions/36848785/how-do-i-reset-all-options-arguments-to-their-default-values>

Source 2

R data.table apply function to rows using columns as arguments - Stack Overflow answered by mlegge on Apr 13 2017 and edited by mlegge Jul 4 2019. See <https://stackoverflow.com/questions/25431307/r-data-table-apply-function-to-rows-using-columns-as-arguments>

EcoC²S Links

EcoC²S Home – <https://www.ecoccs.com/>

About EcoC²S – https://www.ecoccs.com/about_ecoc2s.html

Products – <https://www.questionuniverse.com/products.html>

EcoC²S Media – <https://www.ecoccs.com/media.html>

EcoC²S Resources – <https://www.ecoccs.com/resources.html>

R Trainings and Resources provided by EcoC²S (Irucka Embry, E.I.T.) – <https://www.ecoccs.com/rtraining.html>

Copyright and License

All R code written by Iruka Embry is distributed under the GPL-3 (or later) license, see the [GNU General Public License {GPL} page](#).

All written content originally created by Iruka Embry is copyrighted under the Creative Commons Attribution-ShareAlike 4.0 International License. All other written content retains the copyright of the original author(s).



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).