

Package ‘betaARMA’

March 29, 2026

Title Beta Autoregressive Moving Average Models

Version 1.0.1

Description Fits Beta Autoregressive Moving Average (BARMA) models for time series data distributed in the standard unit interval (0, 1). The estimation is performed via the conditional maximum likelihood method using the Broyden-Fletcher-Goldfarb-Shanno (BFGS) quasi-Newton algorithm. The package includes tools for model fitting, diagnostic checking, and forecasting. Based on the work of Rocha and Cribari-Neto (2009) <[doi:10.1007/s11749-008-0112-z](https://doi.org/10.1007/s11749-008-0112-z)> and the associated erratum Rocha and Cribari-Neto (2017) <[doi:10.1007/s11749-017-0528-4](https://doi.org/10.1007/s11749-017-0528-4)>. The original code was developed by Fabio M. Bayer.

License MIT + file LICENSE

URL <https://github.com/Everton-da-Costa/betaARMA>

BugReports <https://github.com/Everton-da-Costa/betaARMA/issues>

Encoding UTF-8

RoxygenNote 7.3.2

Language en-US

Imports forecast

Suggests knitr, xtable, here, moments, rmarkdown, tseries, lbfgs, ggplot2, foreach, zoo, dplyr, gridExtra

Depends R (>= 3.5)

NeedsCompilation no

Author Everton da Costa [aut, cre] (ORCID: <<https://orcid.org/0000-0001-7580-2639>>),
Francisco Cribari-Neto [ctb, ths] (ORCID: <<https://orcid.org/0000-0002-5909-6698>>, Theoretical foundations),
Vinicius Scher [ctb] (ORCID: <<https://orcid.org/0000-0003-0406-0265>>)

Maintainer Everton da Costa <everto.cost@gmail.com>

Repository CRAN

Date/Publication 2026-03-29 14:50:09 UTC

Contents

| | |
|-------------------------------|----|
| barma | 2 |
| coef.barma | 5 |
| fim_barma | 6 |
| fitted.barma | 9 |
| forecast.barma | 9 |
| loglik_barma | 10 |
| make_link_structure | 13 |
| print.barma | 15 |
| print.summary.barma | 15 |
| residuals.barma | 16 |
| simu_barma | 17 |
| start_values | 18 |
| summary.barma | 20 |

| | |
|--------------|-----------|
| Index | 21 |
|--------------|-----------|

| | |
|-------|---|
| barma | <i>Fit Beta Autoregressive Moving Average (BARMA) Models via Maximum Likelihood</i> |
|-------|---|

Description

Fits a Beta Autoregressive Moving Average (BARMA) model to time series data valued in $(0, 1)$ using Maximum Likelihood Estimation (MLE). The function performs complete model estimation including parameter estimation, hypothesis testing infrastructure, and model diagnostics.

Usage

```
barma(y, ar = NA, ma = NA, link = "logit", xreg = NULL)
```

Arguments

| | |
|------|--|
| y | A time series object ('ts') with values strictly in the open interval $(0, 1)$. Must have at least $\max(p, q) + 1$ observations. |
| ar | A numeric vector specifying autoregressive (AR) lags (e.g., 'c(1, 2)' for AR(2)). Set to 'NA' for models without AR component. Default is 'NA'. |
| ma | A numeric vector specifying moving average (MA) lags (e.g., '1' for MA(1)). Set to 'NA' for models without MA component. Default is 'NA'. |
| link | The link function connecting the mean μ_t to the linear predictor η_t . One of: <ul style="list-style-type: none"> "logit" (default): $g(x) = \log(x/(1 - x))$ "probit": $g(x) = \Phi^{-1}(x)$ "cloglog": Complementary log-log link "loglog": Log-log link |
| xreg | A matrix or data frame of external regressors (covariates), optional. Must have the same number of rows as 'y'. If provided, its columns are included in the linear predictor with associated coefficients in 'beta'. |

Details

Fit Beta Autoregressive Moving Average (BARMA) Models

This function fits the BARMA(p,q) model as proposed by Rocha & Cribari-Neto (2009, with erratum 2017). It serves as the main wrapper for the optimization process, calling specialized helper functions for likelihood computation, gradient calculation, and Fisher Information Matrix estimation.

****Model Specification****: The BARMA model is defined as:

$$g(\mu_t) = \alpha + X_t\beta + \sum_{i=1}^p \varphi_i(g(y_{t-i}) - X_{t-i}\beta) + \sum_{j=1}^q \theta_j \epsilon_{t-j}$$

where $y_t|F_{t-1} \sim \text{Beta}(\mu_t\phi, (1 - \mu_t)\phi)$, $g(\cdot)$ is the link function, and F_{t-1} is the information set at time t-1.

****Model Types**** (specified via ‘ar’ and ‘ma’ arguments):

- ****BARMA(p,q)****: Both ‘ar’ and ‘ma’ are specified.
- ****BAR(p)****: Only ‘ar’ is specified; set ‘ma = NA’.
- ****BMA(q)****: Only ‘ma’ is specified; set ‘ar = NA’.

****External Regressors****: Covariates can be included via ‘xreg’. The model becomes a regression BARMA, where the mean depends on current covariates and lagged responses/errors.

****Optimization****: The function uses the BFGS quasi-Newton algorithm via `optim` with analytic gradients for efficiency. Initial values are obtained from the ‘start_values()’ function.

****Implementation Notes****: - The conditional log-likelihood is computed, conditioning on the first $m = \max(p, q)$ observations (burn-in period). - The 2017 Erratum corrections are implemented for correct handling of moving average components in the score vector and Fisher Information Matrix. - All computations are vectorized where possible for efficiency.

Value

An object of class “barma” containing:

| | |
|----------|--|
| coef | Named vector of all estimated parameters, ordered as: alpha, AR parameters, MA parameters, beta parameters, phi. |
| vcov | The variance-covariance matrix of the estimators, computed as the inverse of the observed Fisher Information Matrix. |
| model | A summary table with coefficients, standard errors, z-statistics, and p-values for hypothesis tests $H_0 : \theta_i = 0$. |
| fitted | Fitted conditional mean values as a ‘ts’ object (NA-padded for burn-in period). |
| muhat | Alias for ‘fitted’ (fitted mean values). |
| etahat | Estimated linear predictor values (full vector, NA-padded). |
| errorhat | Estimated errors on predictor scale (full vector, 0-padded). |
| loglik | The conditional log-likelihood at the MLE. |

| | |
|---------------------------------|--|
| fisher_info_mat | The observed Fisher Information Matrix. |
| conv | Convergence code from 'optim' (0 = success). |
| alpha, beta, varphi, theta, phi | Individual parameter estimates. |
| start_values | Initial parameter values used in optimization. |
| call | The original function call. |
| opt | Raw output object from 'optim()' call. |

Note

The original version of this function was developed by Fabio M. Bayer (Federal University of Santa Maria, <bayer@ufsm.br>). It has been substantially modified and improved by Everton da Costa, with suggestions and contributions from Francisco Cribari-Neto.

Author(s)

Everton da Costa (Federal University of Pernambuco, <everto.cost@gmail.com>); Francisco Cribari-Neto (Federal University of Pernambuco, <francisco.cribari@ufpe.br>)

References

Rocha, A.V., & Cribari-Neto, F. (2009). Beta autoregressive moving average models. *TEST*, 18(3), 529-545. doi:[10.1007/s117490080112z](https://doi.org/10.1007/s117490080112z)

Rocha, A.V., & Cribari-Neto, F. (2017). Erratum to: Beta autoregressive moving average models. *TEST*, 26, 451-459. doi:[10.1007/s1174901705284](https://doi.org/10.1007/s1174901705284)

See Also

[simu_barma](#) for simulation, [loglik_barma](#) for likelihood computation, [score_vector_barma](#) for gradient computation, [fim_barma](#) for Fisher Information Matrix

Examples

```
# Example 1: Fit a BAR(1) model
set.seed(2025)
y_sim_bar <- simu_barma(
  n = 250,
  alpha = 0.0,
  varphi = 0.6,
  phi = 25.0,
  link = "logit",
  freq = 12
)

# Fit the model
fit_bar <- barma(y_sim_bar, ar = 1, link = "logit")

# View results
```

```
summary(fit_bar)
coef(fit_bar)

# Example 2: Fit a BARMA(1,1) model
set.seed(2025)
y_sim_barma <- simu_barma(
  n = 250,
  alpha = 0.0,
  varphi = 0.6,
  theta = 0.3,
  phi = 25.0,
  link = "logit",
  freq = 12
)

# Fit ARMA structure
fit_barma <- barma(y_sim_barma, ar = 1, ma = 1, link = "logit")
summary(fit_barma)

# Example 3: BARMA(1,1) model with harmonic seasonal regressors
hs <- sin(2 * pi * seq_along(y_sim_barma) / 12)
hc <- cos(2 * pi * seq_along(y_sim_barma) / 12)

# Create regressor matrix
X <- cbind(hs = hs,
           hc = hc)

fit_barma_xreg <- barma(
  y_sim_barma,
  ar = 1, ma = 1,
  link = "logit", xreg = X
)
summary(fit_barma_xreg)
```

coef.barma

Extract Coefficients from a barma Model

Description

S3 method for extracting the vector of estimated coefficients from a fitted model object of class "barma".

Usage

```
## S3 method for class 'barma'
coef(object, ...)
```

Arguments

object A fitted model object of class "barma".
 ... Additional arguments (currently ignored).

Value

A named numeric vector of all estimated coefficients (e.g., alpha, varphi, theta, phi).

| | |
|-----------|--|
| fim_barma | <i>Compute Fisher Information Matrix for Beta Autoregressive Moving Average Models</i> |
|-----------|--|

Description

Computes the observed Fisher Information Matrix (FIM) of a Beta Autoregressive Moving Average (BARMA) model. This function also efficiently returns auxiliary values like fitted values and residuals.

This function is designed for users who:

- Compute standard errors of parameter estimates
- Construct confidence intervals
- Perform hypothesis tests
- Verify theoretical properties
- Conduct simulation studies

Usage

```
fim_barma(y, ar, ma, alpha, varphi, theta, phi, link, xreg = NULL, beta = NULL)
```

Arguments

y A numeric vector representing the time series data, in (0, 1).
 ar A numeric vector specifying the autoregressive (AR) lags (e.g., c(1, 2)). Can be NA or NULL if no AR component.
 ma A numeric vector specifying the moving average (MA) lags (e.g., 1). Can be NA or NULL if no MA component.
 alpha The intercept term (numeric scalar).
 varphi A numeric vector of autoregressive (AR) parameters. Use numeric(0) or empty vector if no AR component. Length must match ar specification.
 theta A numeric vector of moving average (MA) parameters. Use numeric(0) or empty vector if no MA component. Length must match ma specification.
 phi The precision parameter of the BARMA model (must be positive and finite). Larger values indicate less variance for a given mean.

| | |
|------|---|
| link | A character string specifying the link function: "logit" (default), "probit", or "cloglog". |
| xreg | A matrix or data frame of static regressors (optional). Must have the same number of rows as length of y. |
| beta | A numeric vector of regression coefficients for xreg (optional). Length must match number of columns in xreg. |

Details

Fisher Information Matrix for BARMA Models

The Fisher Information Matrix is computed from the outer product of score vectors at the MLE, which provides the observed FIM. The FIM is used to obtain standard errors via `sqrt(diag(solve(FIM)))`.

****Non-Diagonal Structure**:** Unlike generalized linear models, the FIM is not block-diagonal due to the coupling introduced by the ARMA dynamics. This is documented in the Rocha & Cribari-Neto (2009) paper.

****Important**:** This function implements the corrections from the 2017 Erratum (Rocha & Cribari-Neto, 2017) for moving average components. See References section for details.

****Parameter Order**:** Parameters should be supplied in the order: alpha, varphi (AR), theta (MA), phi, beta (regressors). This matches the parameter order used by [barma](#).

Value

A list containing:

| | |
|-----------------|---|
| fisher_info_mat | The Fisher Information Matrix (numeric matrix). Dimensions: $(k+p+q+2) \times (k+p+q+2)$ where k is number of regressors, p is AR order, q is MA order. The matrix is symmetric and should be positive definite at the MLE. |
| fitted_ts | The fitted values (conditional mean) as a ts object, with the same time index as the input y. Values for the burn-in period (first <code>max_lag</code> observations) are NA. |
| muhat_effective | The fitted conditional means (numeric vector) excluding the burn-in period. |
| etahat_full | The estimated linear predictor values (numeric vector, length = <code>length(y)</code>), with NA for burn-in period. |
| errorhat_full | The estimated errors on the predictor scale (numeric vector, length = <code>length(y)</code>), zero-padded for burn-in period. |

References

Rocha, A.V., & Cribari-Neto, F. (2009). Beta autoregressive moving average models. *TEST*, 18(3), 529-545. doi:10.1007/s117490080112z

Rocha, A.V., & Cribari-Neto, F. (2017). Erratum to: Beta autoregressive moving average models. *TEST*, 26, 451-459. doi:10.1007/s1174901705284

See Also

[barma](#) for model fitting, [loglik_barma](#) for log-likelihood computation, [score_vector_barma](#) for score vector (gradient)

Examples

```
# Example 1: Fisher Information Matrix for a BAR(1) model
set.seed(2025)
y_sim_bar <- simu_barma(
  n = 250,
  alpha = 0.0,
  varphi = 0.6,
  phi = 25.0,
  link = "logit",
  freq = 12
)

result_bar <- fim_barma(
  y = y_sim_bar,
  ar = 1,
  ma = NA,
  alpha = 0.0,
  varphi = 0.6,
  theta = numeric(0),
  phi = 25.0,
  link = "logit"
)

# Check positive definiteness
fim <- result_bar$fisher_info_mat
all(eigen(fim)$values > 0)

# Standard errors from inverse of FIM
sqrt(diag(solve(fim)))

# Example 2: Fisher Information Matrix for a BARMA(1,1) model
set.seed(2025)
y_sim_barma <- simu_barma(
  n = 250,
  alpha = 0.0,
  varphi = 0.6,
  theta = 0.3,
  phi = 25.0,
  link = "logit",
  freq = 12
)

result_barma <- fim_barma(
  y = y_sim_barma,
  ar = 1,
  ma = 1,
  alpha = 0.0,
  varphi = 0.6,
  theta = 0.3,
  phi = 25.0,
  link = "logit"
)
```

```
# Standard errors
sqrt(diag(solve(result_barma$fisher_info_mat)))
```

| | |
|--------------|---|
| fitted.barma | <i>Extract Fitted Values from a barma Model</i> |
|--------------|---|

Description

S3 method for extracting the fitted mean values ($\hat{\mu}$) from a fitted model object of class `"barma"`.

Usage

```
## S3 method for class 'barma'
fitted(object, ...)
```

Arguments

| | |
|--------|---|
| object | A fitted model object of class <code>"barma"</code> . |
| ... | Additional arguments (currently ignored). |

Details

The fitted values are returned as a time series (`'ts'`) object, matching the time properties of the original input `'y'`. The first `'max_lag'` observations are `'NA'`, as they cannot be fitted.

Value

A `'ts'` object of the fitted mean values.

| | |
|----------------|-------------------------------|
| forecast.barma | <i>Forecast a barma Model</i> |
|----------------|-------------------------------|

Description

S3 method for producing forecasts from a fitted `'barma'` model object.

Usage

```
## S3 method for class 'barma'
forecast(object, h = 6, xreg = NULL, ...)
```

Arguments

| | |
|--------|--|
| object | A fitted model object of class 'barma'. Must contain 'object\$xreg' if regressors were used. |
| h | The number of steps to forecast ahead (forecast horizon). Default is 6. |
| xreg | A matrix of future regressor values for the forecast horizon. Should have h rows and the same number of columns as xreg used in model fitting. |
| ... | Additional arguments (currently ignored). |

Details

This function computes dynamic, multi-step-ahead point forecasts. It implements a "Regression with ARMA errors" logic, where the AR components are applied to the deviations from the regression line: $AR(g(y_{t-k}) - x_{t-k}^\top \beta)$.

Value

A 'ts' object containing the point forecasts for h steps ahead.

| | |
|--------------|---|
| loglik_barma | <i>Compute Conditional Log-Likelihood for Beta Autoregressive Moving Average Models</i> |
|--------------|---|

Description

Computes the conditional log-likelihood of a Beta Autoregressive Moving Average (BARMA) model. This function is designed for users who:

- Implement custom optimization algorithms
- Verify theoretical properties
- Conduct simulation studies
- Debug model fitting
- Integrate BARMA models into their own workflows

Usage

```
loglik_barma(
  y,
  ar,
  ma,
  alpha,
  varphi,
  theta,
  phi,
  link,
  xreg = NULL,
  beta = NULL
)
```

Arguments

| | |
|--------|--|
| y | A numeric vector representing the time series data, with values strictly in (0, 1). |
| ar | A numeric vector specifying the autoregressive (AR) lags (e.g., c(1, 2)). Can be NA or NULL if no AR component. |
| ma | A numeric vector specifying the moving average (MA) lags (e.g., 1). Can be NA or NULL if no MA component. |
| alpha | The intercept term (numeric scalar). |
| varphi | A numeric vector of autoregressive (AR) parameters. Use numeric(0) or empty vector if no AR component. Length must match ar specification. |
| theta | A numeric vector of moving average (MA) parameters. Use numeric(0) or empty vector if no MA component. Length must match ma specification. |
| phi | The precision parameter of the BARMA model (must be positive and finite). Larger values indicate less variance for a given mean. |
| link | A character string specifying the link function: "logit" (default), "probit", or "cloglog". |
| xreg | A matrix or data frame of static regressors (optional). Must have the same number of rows as length of y. |
| beta | A numeric vector of regression coefficients for xreg (optional). Length must match number of columns in xreg. |

Details

Log-Likelihood for BARMA Models

The log-likelihood is computed as:

$$\ell = \sum_{t=m+1}^n \log f(y_t | \mu_t, \phi)$$

where f is the Beta density with shape parameters $shape1 = \mu_t * \phi$ and $shape2 = (1 - \mu_t) * \phi$.

The linear predictor is constructed as:

$$\eta_t = \alpha + X_t \beta + \sum_{i=1}^p \varphi_i (y_{t-i} - X_{t-i} \beta) + \sum_{j=1}^q \theta_j \epsilon_{t-j}$$

****Important****: This function implements the corrections from the 2017 Erratum (Rocha & Cribari-Neto, 2017) for moving average components. See References section for details.

****Parameter Order****: Parameters should be supplied in the order: alpha, varphi (AR), theta (MA), phi, beta (regressors). This matches the parameter order used by [barma](#).

Value

A numeric scalar representing the conditional log-likelihood value. Returns -Inf if:

- phi is non-positive or non-finite
- Insufficient observations for specified lag structure
- Fitted values are outside (0, 1)
- Any numerical issues occur

References

Rocha, A.V., & Cribari-Neto, F. (2009). Beta autoregressive moving average models. *TEST*, 18(3), 529-545. doi:10.1007/s117490080112z

Rocha, A.V., & Cribari-Neto, F. (2017). Erratum to: Beta autoregressive moving average models. *TEST*, 26, 451-459. doi:10.1007/s1174901705284

See Also

[barma](#) for model fitting, [score_vector_barma](#) for gradient computation, [fim_barma](#) for Fisher Information Matrix

Examples

```
# Example 1: Log-likelihood for a BAR(1) model
set.seed(2025)
y_sim_bar <- simu_barma(
  n = 250,
  alpha = 0.0,
  varphi = 0.6,
  phi = 25.0,
  link = "logit",
  freq = 12
)

loglik_barma(
  y = y_sim_bar,
  ar = 1,
  ma = NA,
  alpha = 0.0,
  varphi = 0.6,
  theta = numeric(0),
  phi = 25.0,
  link = "logit"
)

# Example 2: Log-likelihood for a BARMA(1,1) model
set.seed(2025)
y_sim_barma <- simu_barma(
  n = 250,
  alpha = 0.0,
  varphi = 0.6,
  theta = 0.3,
  phi = 25.0,
  link = "logit",
  freq = 12
)

loglik_barma(
  y = y_sim_barma,
  ar = 1,
  ma = 1,
```

```

alpha = 0.0,
varphi = 0.6,
theta = 0.3,
phi = 25.0,
link = "logit"
)

```

make_link_structure *Create Link Function Structure for BARMA Models*

Description

A helper function that constructs a list containing the link function, its inverse, and the derivative of the mean function. It extends the standard ‘make.link’ by adding support for the "loglog" link.

Usage

```
make_link_structure(link = link)
```

Arguments

link A character string specifying the name of the link function. Accepted values are "logit", "probit", "cloglog", and "loglog".

Details

This function is primarily used internally by the ‘barma()’ function to process the ‘link’ argument. It standardizes the way link functions are handled within the model fitting process.

For the "logit", "probit", and "cloglog" links, the function acts as a wrapper around the base R ‘make.link’.

For the "loglog" link, which is not available in ‘make.link’, the necessary components are defined explicitly:

- Link function: $g(\mu) = -\log(-\log(\mu))$
- Inverse link function: $g^{-1}(\eta) = \exp(-\exp(-\eta))$
- Derivative $\frac{d\mu}{d\eta}$: $\exp(-\exp(-\eta)) \times \exp(-\eta)$

If an unsupported link is provided, the function will stop and return an error message listing the available options.

Value

A list with three components:

| | |
|---------|--|
| linkfun | The link function, which transforms the mean $\mu \in (0, 1)$ to the linear predictor $\eta \in (-\infty, \infty)$. |
| linkinv | The inverse link function, which transforms the linear predictor η back to the mean μ . |
| mu.eta | The derivative of the inverse link function with respect to η , i.e., $\frac{d\mu}{d\eta}$. |

Author(s)

Original R code by: Fabio M. Bayer (Federal University of Santa Maria, <bayer@ufsm.br>) Modified and improved by: Everton da Costa (Federal University of Pernambuco, <everto.cost@gmail.com>)

See Also

[barma](#), [make.link](#)

Examples

```
# --- Create a logit link structure ---
logit_link <- make_link_structure(link = "logit")

# Apply the link function
mu <- 0.5
eta <- logit_link$linkfun(mu)
print(eta) # Should be 0

# Apply the inverse link function
mu_restored <- logit_link$linkinv(eta)
print(mu_restored) # Should be 0.5

# --- Create a loglog link structure ---
loglog_link <- make_link_structure(link = "loglog")

# Apply the loglog link function
mu_loglog <- 0.8
eta_loglog <- loglog_link$linkfun(mu_loglog)
print(eta_loglog)

# Apply the inverse loglog link function
mu_restored_loglog <- loglog_link$linkinv(eta_loglog)
print(mu_restored_loglog) # Should be ~0.8
```

| | |
|-------------|---------------------------------------|
| print.barma | <i>Print Method for a barma Model</i> |
|-------------|---------------------------------------|

Description

S3 method for printing a summary of a fitted “barma” model object.

Usage

```
## S3 method for class 'barma'  
print(x, ...)
```

Arguments

| | |
|-----|---|
| x | A fitted model object of class “barma”. |
| ... | Additional arguments (currently ignored). |

Details

This function provides a concise summary, showing the function call that generated the model, the link function used, and the final estimated coefficients.

Value

Invisibly returns the original object ‘x’.

| | |
|---------------------|---|
| print.summary.barma | <i>Print Method for a barma Summary</i> |
|---------------------|---|

Description

S3 method for printing the detailed summary of a “barma” model object.

Usage

```
## S3 method for class 'summary.barma'  
print(x, ...)
```

Arguments

| | |
|-----|---|
| x | A fitted model summary object of class “summary.barma”. |
| ... | Additional arguments (currently ignored). |

Details

This function formats and displays the summary list created by `summary.barma()`, including the call, coefficient table, and information criteria.

Value

Invisibly returns the original object `'x'`.

| | |
|------------------------------|---|
| <code>residuals.barma</code> | <i>Calculate Residuals for a barma Model Object</i> |
|------------------------------|---|

Description

Computes various types of residuals for a fitted Beta Autoregressive Moving Average (BARMA) model object of class `"barma"`.

Usage

```
## S3 method for class 'barma'
residuals(object, type = "standardized", ...)
```

Arguments

| | |
|---------------------|--|
| <code>object</code> | A fitted model object of class <code>"barma"</code> , typically the result of a call to <code>'barma()'</code> . |
| <code>type</code> | The type of residuals to compute. Currently, only <code>"standardized"</code> (default) is implemented, returning standardized residuals on the predictor scale. |
| <code>...</code> | Additional arguments (currently ignored). |

Details

This function is an S3 method for the generic `'residuals'` function, tailored for objects returned by the `'barma()'` function.

By default (`'type = "standardized"'`), it calculates standardized residuals on the predictor scale, defined as:

$$r_t = \frac{g(y_t) - \hat{\eta}_t}{\sqrt{\text{Var}(g(y_t) - \hat{\eta}_t)}}$$

where $\text{Var}(g(y_t) - \hat{\eta}_t) \approx (g'(\hat{\mu}_t))^2$.

$$\frac{\hat{\mu}_t(1 - \hat{\mu}_t)}{1 + \hat{\phi}}$$

. These residuals are useful for diagnostic checking, as they are approximately standard normal if the model is correctly specified.

Value

A numeric vector or `'ts'` object containing the requested residuals. For standardized residuals, the first `'max_lag'` values will be `'NA'`.

simu_barma *Simulate a Beta Autoregressive Moving Average (BARMA) Time Series*

Description

Generates a random time series from a Beta Autoregressive Moving Average (BARMA) model. The function can simulate BARMA(p,q), BAR(p), or BMA(q) processes.

Usage

```
simu_barma(
  n,
  alpha = 0,
  varphi = NA,
  theta = NA,
  phi = 20,
  freq = 12,
  link = "logit"
)
```

Arguments

| | |
|--------|--|
| n | The desired length of the final time series (after burn-in). |
| alpha | The intercept term (α) in the linear predictor. Default is '0.0'. |
| varphi | A numeric vector of autoregressive (AR) parameters (φ). Default is 'NA' for models without an AR component. |
| theta | A numeric vector of moving average (MA) parameters (θ). Default is 'NA' for models without an MA component. |
| phi | The precision parameter ($\phi > 0$) of the Beta distribution. Higher values result in less variance. Default is '20'. |
| freq | The frequency of the resulting 'ts' object (e.g., 12 for monthly, 4 for quarterly). Default is '12'. |
| link | The link function to connect the mean μ_t to the linear predictor. Must be one of "logit" (default), "probit", "cloglog", or "loglog". |

Details

The model type is determined by the 'varphi' and 'theta' parameters:

- **BARMA(p,q):** Both 'varphi' and 'theta' are provided.
- **BAR(p):** Only 'varphi' is provided ('theta' is 'NA').
- **BMA(q):** Only 'theta' is provided ('varphi' is 'NA').

Value

A 'ts' object of length 'n' containing the simulated Beta-distributed time series.

Author(s)

Original R code by: Fabio M. Bayer (Federal University of Santa Maria, <bayer@ufsm.br>) Modified and improved by: Everton da Costa (Federal University of Pernambuco, <everto.costa@gmail.com>)

See Also

[barma](#), [make_link_structure](#)

Examples

```
# Set seed for reproducibility
# --- Example 1: Simulate a BAR(1) process ---
# y_t depends on y_{t-1}
set.seed(2025)
bar1_series <- simu_barma(n = 250, alpha = 0.0, varphi = 0.5, phi = 20,
link = "logit")
plot(bar1_series, main = "Simulated BAR(1) Process", ylab = "Value")

# --- Example 2: Simulate a BMA(1) process ---
# y_t depends on the previous error term
set.seed(2025)
bma1_series <- simu_barma(n = 250, alpha = 0.0, theta = -0.2, phi = 20)
plot(bma1_series, main = "Simulated BMA(1) Process", ylab = "Value")

# --- Example 3: Simulate a BARMA(2,1) process with a cloglog link ---
set.seed(2025)
barma21_series <- simu_barma(
  n = 200,
  alpha = 0.0,
  varphi = c(0.4, 0.2), # AR(2) components
  theta = -0.3,        # MA(1) component
  phi = 20,
  link = "cloglog"
)
plot(barma21_series, main = "Simulated BARMA(2,1) Process", ylab = "Value")
```

start_values

Generate Initial Values for BARMA Model Estimation

Description

This function calculates reasonable starting values for the parameters of various Beta Autoregressive Moving Average (BARMA) models. The method is based on the approach proposed by Ferrari & Cribari-Neto (2004) for beta regression, adapted here for the time series context.

Usage

```
start_values(y, link, ar = NA, ma = NA, X = NA)
```

Arguments

| | |
|------|--|
| y | A numeric time series with values in the open interval (0, 1). |
| link | A string specifying the link function for the mean, such as "logit", "probit", or "cloglog". |
| ar | A numeric vector of autoregressive (AR) lags. Defaults to 'NA' for models without an AR component. |
| ma | A numeric vector of moving average (MA) lags. Defaults to 'NA' for models without an MA component. |
| X | An optional numeric matrix or data frame of exogenous variables (regressors). |

Details

The function computes initial values by fitting a linear model ('lm.fit') to the link-transformed response variable 'g(y)'. This provides a computationally cheap and stable way to initialize the main optimization algorithm.

The specific procedure depends on the model's structure:

- For models with autoregressive (AR) terms, the lagged values of the transformed series 'g(y)' are used as predictors to estimate the initial 'alpha' (intercept) and 'varphi' (AR) coefficients.
- If exogenous variables 'X' are included, they are added as predictors in the linear model to obtain initial 'beta' values.
- Moving average (MA) coefficients ('theta') are initialized to zero, a standard practice in ARMA model estimation.
- The initial value for the precision parameter 'phi' is derived from the variance of the residuals of the initial linear fit, following the methodology from Ferrari & Cribari-Neto (2004).
- For a pure BMA model (no AR or X components), a simpler method is used where 'alpha' is the mean of 'g(y)' and 'phi' is based on the unconditional variance of 'y'.

This function is called internally by the main model fitting function but is exported for standalone use and inspection.

Value

A named numeric vector containing the initial values for the model parameters ('alpha', 'varphi', 'theta', 'phi', 'beta'), ready to be used by an optimization routine. Returns 'NULL' if the model specification is not recognized.

Author(s)

Original code by Fabio M. Bayer (bayer@ufsm.br). Substantially modified and improved by Everton da Costa (everto.cost@gmail.com).

References

Ferrari, S. L. P., & Cribari-Neto, F. (2004). Beta regression for modelling rates and proportions. *Journal of Applied Statistics*, 31(7), 799-818. <doi:10.1080/0266476042000214501>

`summary.barma`*Summarize a barma Model Fit*

Description

(Full documentation block...)

Usage

```
## S3 method for class 'barma'  
summary(object, ...)
```

Arguments

| | |
|---------------------|---|
| <code>object</code> | A fitted model object of class <code>"barma"</code> . |
| <code>...</code> | Additional arguments (currently ignored). |

Value

A list object of class `"summary.barma"`...

Index

barma, [2](#), [7](#), [11](#), [12](#), [14](#), [18](#)

coef.barma, [5](#)

fim_barma, [4](#), [6](#), [12](#)

fitted.barma, [9](#)

forecast.barma, [9](#)

loglik_barma, [4](#), [7](#), [10](#)

make.link, [14](#)

make_link_structure, [13](#), [18](#)

optim, [3](#)

print.barma, [15](#)

print.summary.barma, [15](#)

residuals.barma, [16](#)

score_vector_barma, [4](#), [7](#), [12](#)

simu_barma, [4](#), [17](#)

start_values, [18](#)

summary.barma, [20](#)